

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) At a mobile gateway in a computerized system that includes a content server, a the mobile gateway, and a first and a second mobile client, the first and second mobile clients differing from each other in at least one operating characteristic, wherein the mobile gateway receives content that is addressed to the first and second mobile clients from the content server, a method of customizing the content based on at least one operating characteristic of each mobile client, wherein the customizing avoids further processing at the content server, the method comprising a mobile gateway performing the acts of:

assigning a first transform to the first mobile client and assigning a second transform to the second mobile client, the first and second transforms specifically considering one or more operating characteristics of the first and second mobile clients;

receiving a list from the content server containing addresses for a plurality of mobile clients, including the first mobile client and the second mobile client;

receiving content from the content server, the content being addressed to the list, wherein the content has not yet been altered in accordance with the first or second transform;

identifying from one or more of the received content and the received list that the first transform and the second transform are to be applied;

altering the content according to the first and second transforms so that the content is compatible with the one or more operating characteristics of the first and second mobile clients, the altered content comprising a first transformed content and a second transformed content;

identifying an address for each mobile client contained within the list, including the first mobile client and the second mobile client;

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

addressing the first transformed content to the first mobile device and addressing the second transformed content to the second mobile device using the plurality of addresses received in the list;

establishing a communication link between the mobile gateway and the first and second mobile clients; and

sending the first transformed content to the first mobile client and sending the second transformed content to the second mobile client.

2. (Original) A method as recited in claim 1 further comprising the act of at least one of the transforms encrypting the content.

3. (Original) A method as recited in claim 1 further comprising the act of at least one of the transforms compressing the content.

4. (Previously Presented) A method as recited in claim 1 wherein at least one of the mobile clients is one of a telephone, a pager, a personal digital assistant, or a cascaded mobile gateway.

5. (Currently Amended) A method as recited in claim 1 wherein the first transformed content comprises a notification that additional content is available at the content server, the method further comprising the acts of:

receiving a request for the additional content from the first mobile client,

retrieving the additional content from the content server, wherein the additional content has not been altered in accordance with any one or more of the first or second transforms;

altering the additional content according to the first transform so that the content is compatible with the one or more operating characteristics of the first mobile client, the act of altering producing a first transformed additional content; and

sending the first transformed additional content to the first mobile client.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

6. (Previously Presented) A method as recited in claim 1 wherein the one or more operating characteristics considered by the first and second transforms include at least one of the first or second mobile client's software, processor, memory, display, or communication link.

7. (Original) A method as recited in claim 1 wherein the computerized system includes a third mobile client, the method further comprising the acts of:

assigning the first transform to the third mobile client, the first transform specifically considering one or more operating characteristics of the third mobile client;
and

sending the first transformed content to the third mobile client.

8. (Canceled).

9. (Previously Presented) A method as recited in claim 1 wherein the content comprises one of email, calendar, contact, task, Web, notification, financial, configuration, or sports content.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

10. (Currently Amended) At a mobile gateway in a computerized system that includes a content server, a-the mobile gateway, and a first mobile client, wherein the mobile gateway receives from the content server, content that is addressed to the first mobile client, a method of customizing the content based on at least one operating characteristic of the first mobile client, wherein the customizing avoids further processing at the content server, the method comprising a mobile gateway performing the acts of:

~~assigning a first configuration transform to the first mobile client, the first configuration transform customizing configuration information for one or more services available to the first mobile client;~~

assigning a first transform to the first mobile client, the first transform specifically considering one or more operating characteristics of the first mobile client;

determining that a change has occurred in at least one service available to the first mobile client, such that prior hardware or software configuration information of the first mobile client is incompatible with a current version of the at least one service;

creating first transformed configuration information at the mobile gateway, wherein the first transformed configuration information is consistent with the change in the at least one service;

receiving content from the content server;

altering the content according to the first transform so that the content is compatible with the one or more operating characteristics of the first mobile client and the change to the at least one service, the altered content comprising a first transformed content;

~~customizing configuration information relative to the change in the at least one service available to the first mobile client based on the first configuration transform to provide first transformed configuration information;~~

establishing a communication link between the mobile gateway and the first mobile client; and

sending the first transformed content and the first transformed configuration information to the first mobile client.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

11. (Previously Presented) A method as recited in claim 10 wherein the one or more operating characteristics considered by the first transform include at least one of the first mobile client's software, processor, memory, display, or communication link.

12. (Original) A method as recited in claim 10 further comprising the act of the first transform encrypting the content.

13. (Original) A method as recited in claim 10 further comprising the act of the first transform compressing the content.

14. (Original) A method as recited in claim 10 wherein the first transformed content comprises a notification that additional content is available at the content server, the method further comprising the acts of:

receiving a request for the additional content from the first mobile client,

retrieving the additional content from the content server;

altering the additional content according to the first transform so that the content is compatible with the one or more operating characteristics of the first mobile client, the act of altering producing a first transformed additional content; and

sending the first transformed additional content to the first mobile client.

15. (Previously Presented) A method as recited in claim 10 wherein the first mobile client is one of a telephone, a pager, a personal digital assistant, or a cascaded mobile gateway.

16. (Previously Presented) A method as recited in claim 10 wherein the content comprises one of email, calendar, contact, task, Web, notification, financial, configuration, or sports content.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

17. (Original) A method as recited in claim 10 wherein the computerized system includes a second mobile client, the method further comprising the acts of:

assigning a second transform to the second mobile client, the second transform specifically considering one or more operating characteristics of the second mobile client;

altering the content according to the second transform so that the content is compatible with the one or more operating characteristics of the second mobile client, the altered content comprising a second transformed content;

establishing a communication link between the mobile gateway and the second mobile client; and

sending the second transformed content to the second mobile client.

18. (Original) A method as recited in claim 17 wherein the content received from the content server is addressed to a list containing the first and second mobile clients, the method further comprising the act of addressing the content specifically to the first mobile client and to the second mobile client as defined in the list.

19. (Original) A method as recited in claim 17 wherein the computerized system includes a third mobile client, the method further comprising the acts of:

assigning the first transform to the third mobile client, the first transform specifically considering one or more operating characteristics of the third mobile client; and

sending the first transformed content to the third mobile client.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

20. (Currently Amended) ~~In~~ At a mobile gateway in a computerized system that includes a content server, a the mobile gateway, and mobile clients, wherein some of the mobile clients differ from each other in at least one operating characteristic, and wherein the mobile gateway receives content that is addressed to the mobile clients from the content server, a method of customizing the content based on at least one operating characteristic of each mobile client, wherein the customizing avoids further processing at the content server, the method comprising the mobile gateway performing:

a step for associating content transforms with a first and a second mobile client, the content transforms accounting for one or more operating characteristics of the first and second mobile clients;

an act of receiving a list from the content server containing addresses for a plurality of mobile clients, including the first mobile client and the second mobile client

an act of the mobile gateway identifying at least from the received list that the content transforms for the first and second mobile clients are to be used;

a step for producing first transformed content and second transformed content based on content from the content server and the content transforms, the content received from the content server being addressed to the list;

an act of addressing the first transformed content to the first mobile device and addressing the second transformed content to the second mobile device using the plurality of addresses received in the list; and

a step for providing the first and second transformed content to the first and second mobile clients.

21. (Previously Presented) A method as recited in claim 20 wherein at least one of the mobile clients is one of a telephone, a pager, a personal digital assistant, or a cascaded mobile gateway.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

22. (Original) A method as recited in claim 20 wherein the first transformed content comprises a notification that additional content is available at the content server, the method further comprising steps for:

producing a first additional transformed content based on a content transform associated with the first mobile client; and

providing the first additional transformed content to the first mobile client.

23. (Previously Presented) A method as recited in claim 20 wherein the one or more operating characteristics considered by the content transforms include at least one of the mobile clients' software, processor, memory, display, or communication link.

24. (Original) A method as recited in claim 20 wherein the computerized system includes a third mobile client, the method further comprising a step for providing the first transformed content to the third mobile client, due to similarities in one or more operating characteristics of the first and third mobile clients.

25. (Canceled).

26. (Previously Presented) A method as recited in claim 20 wherein the content comprises one of email, calendar, contact, task, Web, notification, financial, configuration, or sports data.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

27. (Currently Amended) In a computerized system that includes a content server, a mobile gateway, and a first mobile client, wherein the mobile gateway receives from the content server, content that is addressed to the first mobile client, a computer program product for implementing a method of customizing the content based on at least one operating characteristic of the first mobile client, wherein the customizing avoids further processing at the content server, comprising:

a computer readable medium for carrying machine-executable instructions for implementing the method at a mobile gateway; and

wherein said method is comprised of machine-executable instructions for performing the acts of:

assigning a first configuration transform to the first mobile client, the first configuration transform customizing configuration information for one or more services available to the first mobile client;

assigning a first transform to the first mobile client, the first transform specifically considering one or more operating characteristics of the first mobile client;

determining that a change has occurred in at least one service available to the first mobile client;

receiving content from the content server, wherein the content has not yet been altered in accordance with the first or second transform;

identifying from one or more of the received content and the received list that the first transform and the second transform are to be applied;

altering the content according to the first transform so that the content is compatible with the one or more operating characteristics of the first mobile client, the altered content comprising a first transformed content;

customizing configuration information relative to the change in the at least one service available to the first mobile client based on the first configuration transform to provide first transformed configuration information;

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

establishing a communication link between the mobile gateway and the first mobile client; and

sending the first transformed content and the first transformed configuration information to the first mobile client.

28. (Previously Presented) A computer program product as recited in claim 27 wherein the one or more operating characteristics considered by the first transform include at least one of the first mobile client's software, processor, memory, display, or communication link.

29. (Original) A computer program product as recited in claim 27, the method comprised further of machine-executable instructions for the first transform performing the act of encrypting the content.

30. (Original) A computer program product as recited in claim 27, the method comprised further of machine-executable instructions for the first transform performing the act of compressing the content.

31. (Original) A method as recited in claim 27 wherein the first transformed content comprises a notification that additional content is available at the content server, the method comprised further of machine-executable instructions for performing the acts of:

receiving a request for the additional content from the first mobile client,

retrieving the additional content from the content server, wherein the additional content has not been altered in accordance with any one or more of the first or second transforms;

altering the additional content according to the first transform so that the content is compatible with the one or more operating characteristics of the first mobile client, the act of altering producing a first transformed additional content; and

sending the first transformed additional content to the first mobile client.

Application No. 09/771,338
Amendment "C" dated July 6, 2005
Reply to Office Action mailed June 1, 2005

32. (Previously Presented) A computer program product as recited in claim 27 wherein the first mobile client is one of a telephone, a pager, and a personal digital assistant and wherein the content comprises one of email, calendar, contact, task, Web, notification, financial, configuration, or sports data.

33. (Original) A computer program product as recited in claim 27 wherein the computerized system includes a second mobile client, the method comprised further of machine-executable instructions for performing the acts of:

assigning a second transform to the second mobile client, the second transform specifically considering one or more operating characteristics of the second mobile client;

altering the content according to the second transform so that the content is compatible with the one or more operating characteristics of the second mobile client, the altered content comprising a second transformed content;

establishing a communication link between the mobile gateway and the second mobile client; and

sending the second transformed content to the second mobile client.

34. (Original) A computer program product as recited in claim 33 wherein the content received from the content server is addressed to a list containing the first and second mobile clients, the method comprised further of machine-executable instructions for performing the act of addressing the content specifically to the first mobile client and to the second mobile client as defined in the list.

35. (Original) A computer program product as recited in claim 33 wherein the computerized system includes a third mobile client, the method comprised further of machine-executable instructions for performing the acts of:

assigning the first transform to the third mobile client, the first transform specifically considering one or more operating characteristics of the third mobile client; and sending the first transformed content to the third mobile client.